
Square Type Slotting Bar

For 200 series




2020/11/20

Option

Various Slotting Bar

For 300/350 series





2020/11/20

Optional


Square Type Slotting Tools


300 type / 350 type






200 type






Slotting Tool System


Adaptor Set
SSAD-50 FOR 300/350 SERIES






Model	Weight(kg)
SSAD-50	2.3 kg

Adaptor Set
SSAD-40 FOR 200 SERIES





Model	Weight(kg)
SSAD-40	1.6 kg


Optional

Square Type Slotting Tools


For 200/300/350 series

Slotting Bar





Model	hole	A	L1	L2	L3	L4	D1	D2	Weight
	mm	mm	mm	mm	mm	mm	mm	mm	kg
BAR-ST5	5	32	130	20	56	6	16	12	1.1
BAR-ST6	6	32	130	33	64	8	20	16	1.2
BAR-ST8	8	32	130	20	98	9	25	20	1.4
BAR-ST10	10	32	130	25	120	10	32	25	1.6



Model	hole 1	hole	L1	L2	L3	L4	L5	D1	D2	Weight
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
TS-235 12/16	12	16	150	320	30	10	50	40	35	5.7


2020/11/20

Optional

Square Type Slotting Tools

For 200/300/350 series

HSS BLADE 刀片








Model	size	weight
	mm	g
P0405CU06	6	4
P0405CU08	8	11
P0405CU10	10	23
P0405CU12	12	55
P0405CU16	16	96


REV
Broaching Tool

Square Type Slotting Tools


Optional


300 / 350 Type





200 Type






REV Broaching Tool

Optional

Square Type Slotting Tools


For 200/300/350 series


Adaptor




Model	L1	L2	L3	L4	L5	L6	L7	D1	Weight
	mm	mm	mm	mm	mm	mm	mm	mm	Kg
AD-40	140	50	40	10	6	-	-	32	0.6
(For CNC-200 only)									
AD-50	170	50	50	10	6	-	-	32	2.2
(For CNC-300/350)									

Slotting Bar








Model	L1	L2	L3	L4	D1	D2	D3	Min hole	Weight
	mm	mm	mm	mm	mm	mm	mm	mm	Kg
UT-05-32-L	66	175	9	100	32	12	37	13	0.711
UT-06-32-L	81	190	9	100	32	16	37	17	0.765
UT-08-32-L	100	209	9	100	32	20	37	21.5	0.868
UT-10-32-L	126	235	9	100	32	25	37	28	1.097
UT-12-32-L	161	270	9	100	32	30	37	32	1.407
UT-14/16-32-L	180	289	9	100	32	35	37	37	1.748

Square Type Slotting Tools

Optional

For 200/300/350 series

Insert




Model	L1	L2	L3	L4	L5	L6	Slotting Bar
	mm	mm	mm	mm	mm	mm	
IN-05-JS6	5.000	6.08	7	5	8	3	UT-05
IN-05-H7	5.012						
IN-06-JS6	6.000	10.08	9	6	13.5	4	UT-06
IN-06-H7	6.012						
IN-08-JS6	8.000	10.08	9	6	13.5	4.5	UT-08
IN-08-H7	8.015						
IN-10-JS6	10.000	13.1	14	10	18.5	6	UT-10
IN-10-H7	10.015						
IN-12-JS6	12.000	13.1	14	10	18.5	6.5	UT-12
IN-12-H7	12.018						
IN-16-JS6	16.000	18	14	10	22	8	UT-14/16
IN-16-H7	16.018						

REV
Broaching Tool

Optional

Aligners for Slotting Machines



Aligners for slotting are used on Slotting Machine to achieve correct tool assembly. They screw on in place of the insert and, thanks to their shape featuring a straight surface, using a simple gauge or comparator, they make it possible to attach the slotting tool correctly with respect to the reference axes of the workpiece.

They are available in 5 sizes, covering the entire range of slotting tools: the PN-1 alignment runner is used for all tools that slot 3-4-5 mm, PN-2 runner for all tools that slot 6-8 mm, PN-3 runner for all tools that slot 10-12 mm, PN-4 runner for all tools that slot 14-16 mm and PN-5 for all tools that slot 18 mm to 28 mm.

Model	L1(mm)	L2(mm)	L3(mm)	Tools
PN-1	6.08	50	8	UT-03/UT-04/UT-05
PN-2	10.08	50	8	UT-06/UT-08
PN-3	13.10	60	10	UT-10/UT-12
PN-4	18.00	70	10	UT-14/16
PN-5	26.00	70	10	UT-18/25